

Type of Animal	Period	Disease Management
Cows	September to November	<ul style="list-style-type: none"> Vaccinate against diseases that affect fertility 30 to 60 days before breeding Drench or inject against round worms, tapeworms and liver fluke
	August	<ul style="list-style-type: none"> Vaccinate cows against clostridial diseases and diseases causing diarrhoea Boost with Vitamin A, D and selenium injections
Calves	September to November	<ul style="list-style-type: none"> Chances of navel infection are high. Avoid by using wound remedies eg Iodine and Terramycin wound spray Vaccinate against quarter evil and black leg
	December	<ul style="list-style-type: none"> Drench against round worms, tape worms and liver fluke
	January	<ul style="list-style-type: none"> Vaccinate against quarter evil and black leg
	February	<ul style="list-style-type: none"> Drench or inject against round worms, tape worms and liver fluke
	March to April	<ul style="list-style-type: none"> Vaccinate against contagious abortion Vaccinate against vibriosis and leptospirosis Optional vaccinations for Rift Valley fever, lumpy skin disease, botulism, anthrax and three-day stiff sickness Vaccinate against quarter evil and black leg
	May to June	<ul style="list-style-type: none"> Vaccinate against Rift Valley fever, three-day stiff sickness, lumpy skin diseases and botulism in certain areas
Bulls	September	<ul style="list-style-type: none"> Vaccinate against diseases that cause infertility
All Adult Stock	September and March	<ul style="list-style-type: none"> Apply tick and fly control treatments frequently – dip, spray, pour on every seven days Treat tick-borne diseases – Gall sickness, theileriosis, heartwater with long acting oxytetracycline and redwater
	October	<ul style="list-style-type: none"> Vaccinate against quarter evil, black leg, Rift Valley fever, lumpy skin disease, botulism, anthrax and three-day stiff sickness
	November to December	<ul style="list-style-type: none"> After first rains drench or inject against round worms, tape worms and liver fluke
	April to June	<ul style="list-style-type: none"> Drench or inject against round worms, tape worms and liver fluke
	April to July	<ul style="list-style-type: none"> Reduce tick and flies treatment frequency, dip, spray, pour on every 10-14 days
	August	<ul style="list-style-type: none"> Start increasing frequency of tick and fly control treatments, dip, spray, pour on every seven days Drench against liver fluke